



Cylindriska kuggjul

Ingreppsvinkel 20°



Kuggbredd B

Modul 1 = 15 mm
Modul 1,5 = 17 mm
Modul 2 = 20 mm
Modul 2,5 = 25 mm

Totalbredd A:

Modul 1 = 25 mm
Modul 1,5 = 30 mm
Modul 2 = 35 mm
Modul 2,5 = 45 mm

z	Mod. 1				Mod. 1,5				Mod. 2				Mod. 2,5			
	de	dp	dm	D1	de	dp	dm	D1	de	dp	dm	D1	de	dp	dm	D1
12	14	12	9	6	21,0	18,0	14	8	28	24	18	10	35,0	30,0	22	10
13	15	13	10	6	22,5	19,5	15	8	30	26	20	10	37,5	32,5	25	10
14	16	14	11	6	24,0	21,0	17	8	32	28	22	10	40,0	35,0	28	10
15	17	15	12	6	25,5	22,5	18	8	34	30	24	10	42,5	37,5	30	10
16	18	16	13	6	27,0	24,0	20	8	36	32	25	10	45,0	40,0	32	12
17	19	17	14	6	28,5	25,5	20	8	38	34	25	10	47,5	42,5	35	12
18	20	18	15	8	30,0	27,0	20	8	40	36	25	10	50,0	45,0	35	12
19	21	19	15	8	31,5	28,5	20	8	42	38	25	10	52,5	47,5	35	12
20	22	20	16	8	33,0	30,0	25	8	44	40	30	10	55,0	50,0	40	12
21	23	21	16	8	34,5	31,5	25	10	46	42	30	12	57,5	52,5	40	14
22	24	22	16	8	36,0	33,0	25	10	48	44	30	12	60,0	55,0	45	14
23	25	23	18	8	37,5	34,5	25	10	50	46	30	12	62,5	57,5	45	14
24	26	24	20	10	39,0	36,0	25	10	52	48	35	12	65,0	60,0	45	14
25	27	25	20	10	40,5	37,5	25	10	54	50	35	12	67,5	62,5	50	14
26	28	26	20	10	42,0	39,0	30	12	56	52	40	12	70,0	65,0	50	14
27	29	27	20	10	43,5	40,5	30	12	58	54	40	12	72,5	67,5	50	14
28	30	28	20	10	45,0	42,0	30	12	60	56	40	12	75,0	70,0	50	14
29	31	29	20	10	46,5	43,5	30	12	62	58	40	14	77,5	72,5	50	14
30	32	30	20	10	48,0	45,0	30	12	64	60	40	14	80,0	75,0	55	14
31	33	31	25	10	49,5	46,5	35	12	66	62	45	14	82,5	77,5	55	15
32	34	32	25	10	51,0	48,0	35	12	68	64	45	14	85,0	80,0	55	15
33	35	33	25	10	52,5	49,5	35	12	70	66	45	14	87,5	82,5	55	15
34	36	34	25	10	54,0	51,0	35	12	72	68	45	14	90,0	85,0	55	15
35	37	35	25	10	55,5	52,5	35	12	74	70	45	14	92,5	97,5	60	15
36	38	36	25	10	57,0	54,0	35	12	76	72	45	14	95,0	90,0	60	15
37	39	37	25	10	58,5	55,5	40	12	78	74	50	14	97,5	92,5	60	15
38	40	38	25	10	60,0	57,0	40	12	80	76	50	14	100,0	95,0	60	15
39	41	39	25	10	61,5	58,5	40	12	82	78	50	14	102,5	97,5	60	15
40	42	40	25	10	63,0	60,0	40	12	84	80	50	14	105,0	100,0	70	15
41	43	41	30	10	64,5	61,5	40	12	86	82	55	15	107,5	102,5	70	15
42	44	42	30	10	66,0	63,0	50	12	88	84	55	15	110,0	105,0	70	15
43	45	43	30	10	67,5	64,5	50	12	90	86	55	15	112,5	107,5	70	15
44	46	44	30	10	69,0	66,0	50	12	92	88	60	15	115,0	110,0	70	15
45	47	45	30	10	70,5	67,5	50	12	94	90	60	15	117,5	112,5	70	15
46	48	46	30	10	72,0	69,0	50	14	96	92	60	15	120,0	115,0	70	20
47	49	47	30	10	73,5	70,5	50	14	98	94	70	15	122,5	117,5	80	20
48	50	48	30	10	75,0	72,0	50	14	100	96	70	15	125,0	120,0	80	20
49	51	49	30	10	76,5	73,5	50	14	102	98	70	15	127,5	122,5	80	20
50	52	50	30	12	78,0	75,0	50	14	104	100	70	15	130,0	125,0	80	20
51	53	51	40	12	79,5	76,5	60	14	106	102	70	15	132,5	127,5	80	20
52	54	52	40	12	81,0	78,0	60	14	108	104	70	15	135,0	130,0	90	20
53	55	53	40	12	82,5	79,5	60	14	110	106	70	15	137,5	132,5	90	20
54	56	54	40	12	84,0	81,0	60	14	112	108	70	15	140,0	135,0	90	20
55	57	55	40	12	85,5	82,5	60	14	114	110	70	15	142,5	137,5	90	20
56	58	56	40	12	87,0	84,0	60	15	116	112	70	15	145,0	140,0	100	20
57	59	57	40	12	88,5	85,5	60	15	118	114	70	15	147,5	142,5	100	20
58	60	58	40	12	90,0	87,0	60	15	120	116	70	15	150,0	145,0	100	20
59	61	59	40	12	91,5	88,5	60	15	122	118	70	15	152,5	147,5	100	20
60	62	60	40	12	93,0	90,0	60	15	124	120	70	15	155,0	150,0	100	20
61	63	61	50	12	94,5	91,5	70	15	126	122	80	15				
62	64	62	50	12	96,0	93,0	70	15	128	124	80	15				
63	65	63	50	12	97,5	94,5	70	15	130	126	80	15				
64	66	64	50	12	99,0	96,0	70	15	132	128	80	15				
65	67	65	50	12	100,5	97,5	70	15	134	130	8	15	167,5	162,5	-	20
66	68	66	50	12	102,0	99,0	70	15	136	132	80	15				
67	69	67	50	12	103,5	100,5	70	15	138	134	80	15				
68	70	68	50	12	105,0	102,0	70	15	140	136	80	15				
69	71	69	50	12	106,5	103,5	70	15	142	138	80	15				
70	72	70	50	12	108,0	105,0	70	15	144	140	80	15	180,0	175,0	-	20
72	74	72	-	12	111,0	108,0	-	15	148	144	-	15	185,0	180,0	-	20
75	77	75	-	12	115,5	112,5	-	15	154	150	-	20	192,5	187,5	-	20
76	78	76	-	12	117,0	114,0	-	15	156	152	-	20	195,0	190,0	-	20
80	82	80	-	12	123,0	120,0	-	15	164	160	-	20	205,0	200,0	-	25
85	87	85	-	12	130,5	127,5	-	15	174	170	-	20	217,5	212,5	-	25
90	92	90	-	12	138,0	135,0	-	15	184	180	-	20	230,0	225,0	-	25
95	97	95	-	12	145,5	142,5	-	15	194	190	-	20	242,5	237,5	-	25
100	102	100	-	12	153,0	150,0	-	15	204	200	-	20	255,0	250,0	-	25
110	112	110	-	12	168,0	165,0	-	15	224	220	-	20	280,0	275,0	-	25
114	116	114	-	12	174,0	171,0	-	15	232	228	-	20	290,0	285,0	-	25
120	122	120	-	12	183,0	180,0	-	15	244	240	-	20	305,0	300,0	-	25
127	129	127	-	12	193,5	190,5	-	15	258	254	-	20	322,5	317,5	-	25



Material stål. Hjul med annat kuggantal, material och utförande kan levereras.



Reservationer för måttförändringar

Cylindriska kuggjul

Ingreppsvinkel 20°



Kuggbredd B

Modul 3 = 30 mm

Modul 4 = 40 mm

Modul 5 = 50 mm

Total bredd A:

Modul 3 = 50 mm


Modul 4 = 60 mm

Modul 5 = 75 mm

z	Mod. 3				Mod. 4				Mod. 5				Mod. 6			
	d _e	d _p	d _m	D ₁	d _e	d _p	d _m	D ₁	d _e	d _p	d _m	D ₁	d _e	d _p	d _m	D ₁
12	42	36	27	12	56	48	35	14	70	60	45	20	84	72	54	20
13	45	39	30	12	60	52	40	14	75	65	50	20	90	78	60	20
14	48	42	33	12	64	56	45	14	80	70	55	20				
15	51	45	35	12	68	60	45	14	85	75	60	20	102	90	70	20
16	54	48	38	14	72	64	50	15	90	80	65	20	108	96	75	20
17	57	51	42	14	76	68	50	15	95	85	70	20				
18	60	54	45	14	80	72	50	15	100	90	70	20	120	108	80	20
19	63	57	45	14	84	76	60	15	105	95	70	20				
20	66	60	45	14	88	80	60	15	110	100	80	20	132	120	90	20
21	69	63	45	15	92	84	70	15	115	105	80	20				
22	72	66	50	15	96	88	70	15	120	110	80	20				
23	75	69	50	15	100	92	75	20	125	115	90	20				
24	78	72	50	15	104	96	75	20	130	120	90	20	156	144	110	25
25	81	75	60	15	108	100	75	20	135	125	90	20	162	150	110	25
26	84	78	60	15	112	104	75	20	140	130	100	20				
27	87	81	60	15	116	108	75	20	145	135	100	20				
28	90	84	60	15	120	112	75	20	150	140	100	25	180	168	-	25
29	93	87	60	15	124	116	75	20	155	145	110	25				
30	96	90	60	15	128	120	75	20	160	150	110	25	192	180	-	25
31	99	93	60	15	132	124	80	20								
32	102	96	70	15	136	128	80	20	170	160	-	25	204	192	-	25
33	105	99	70	15	140	132	80	20								
34	108	102	70	15	144	136	80	20								
35	111	105	70	15	148	140	80	20	185	175	-	25	222	210	-	25
36	114	108	70	20	152	144	80	25								
37	117	111	70	20												
38	120	114	80	20	160	152	-	25	200	190	-	25	240	228	-	25
39	123	117	80	20												
40	126	120	80	20	168	160	-	25	210	200	-	25	252	240	-	25
41	129	123	80	20												
42	132	126	80	20												
43	135	129	80	20												
44	138	132	90	20												
45	141	135	90	20	188	180	-	25	235	225	-	25				
46	144	138	90	20												
47	147	141	100	20												
48	150	144	100	20	200	192	-	25	250	240	-	25				
50	156	150	-	20	208	200	-	25	260	250	-	30				
52	162	156	-	20	216	208	-	25	270	260	-	30				
55	171	165	-	20	228	220	-	25	285	275	-	30				
57	177	171	-	20	236	228	-	25	295	285	-	30				
60	186	180	-	20	248	240	-	25	310	300	-	30				
65	201	195	-	20	268	260	-	25	335	325	-	30				
70	216	210	-	25	288	280	-	25	360	350	-	30				
72	222	216	-	25												
75	231	225	-	25	308	300	-	25	385	375	-	30				
76	234	228	-	25	312	304	-	30	390	380	-	30				
80	246	240	-	25	328	320	-	30	410	400	-	30				
85	261	255	-	25	348	340	-	30	435	425	-	30				
90	276	270	-	25	368	360	-	30	460	450	-	30				
95	291	285	-	25	388	380	-	30	485	475	-	30				
100	306	300	-	25	408	400	-	30	510	500	-	30				
110	336	330	-	25	448	440	-	30	560	550	-	30				
114	348	342	-	30	464	456	-	30	580	570	-	30				
120	366	360	-	30												
127	387	381	-	30												


Material stål. Hjul med annat kuggantal, material och utförande kan levereras.

Kuggstänger



Kvadratiska kuggstänger

Artikel nr.	Modul	Kuggbredd b	Höjd h _a	h	Längd l	Vikt kg
S-101000 S-102000	1	15	15	14	1000 2000	1,65 3,30
S-151000 S-152000	1,5	17	17	15,5	1000 2000	2,07 4,14
S-201000 S-202000	2	20	20	18	1000 2000	2,82 5,64
S-251000 S-252000	2,5	25	25	22,5	1000 2000	3,97 7,94
S-301000 S-302000	3	30	30	27	1000 2000	6,20 12,40
S-401000 S-402000	4	40	40	36	1000 2000	11,00 22,00
S-501000 S-502000	5	50	50	45	1000 2000	15,90 31,80
S-601000 S-602000	6	60	60	54	1000 2000	24,50 49,00



Runda kuggstänger

Artikel nr.	Modul	Diameter b _{h11}	Höjd h _a	h	Längd l	Vikt kg
R-100250 R-100500	1	10	9,80 -0,10 9,80 -0,10	8,80 -0,10 8,80 -0,10	250 500	0,14 0,27
R-150500 R-151000	1,5	15	14,80 -0,10 14,80 -0,15	13,30 -0,10 13,30 -0,15	500 1000	0,61 1,22
R-200500 R-201000	2	20	19,75 -0,10 19,75 -0,15	17,75 -0,10 17,75 -0,15	500 1000	1,10 2,20
R-250500 R-251000	2,5	25	24,75 -0,10 24,75 -0,15	22,25 -0,10 22,25 -0,15	500 1000	1,65 3,30
R-300500 R-301000	3	30	29,75 -0,10 29,75 -0,20	26,75 -0,10 26,75 -0,20	500 1000	2,44 4,80
R-400500 R-401000	4	40	39,70 -0,10 39,70 -0,20	35,70 -0,10 35,70 -0,20	500 1000	4,32 8,64
R-500500 R-501000	5	50	49,70 -0,10 49,70 -0,20	44,70 -0,10 44,70 -0,20	500 1000	6,75 13,50

Material: SIS 1650

Kuggstänger med andra mått och material kan levereras.

Reservation för måttförändringar

